


Republic of the Philippines
Department of Health
NATIONAL NUTRITION COUNCIL REGION VII
TRENDS IN NUTRITION STATUS OF UNDERWEIGHT CHILDREN, CY 2004-2018
Pre School Children (0-71 months)


Area	Prevalence rate														
	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018
Central Visayas	13.77	11.73	9.78	8.93	8.28	7.49	6.2	5.92	5.66	5.54	5.64	4.91	4.6	4.93	4.53
Provinces															
Bohol	15.92	13.75	11.06	9.89	9.01	8.12	6.74	6.29	5.87	5.30%	5.03%	4.33%	3.97%	3.92%	3.5%*
Cebu	15.36	13.54	11.81	10.51	10.11	9.46	7.89	7.29	7.66	7.16%	8.16%	7.28%	6.21%	7.16%	6.20%
Oriental Negros	15.84	14.72	12.71	11.88	11.57	11.31	8.71	8.26	7.13	7.36%	6.95%	6.95%	5.84%	7.23%	6.49%
Siquijor	15.88	11.63	11.8	9.82	9.11	7.99	6.45	6.73	6.56	5.95%	5.21%	5.31%	4.46%	3.56%	3.66%
Cities															
Bais City	20.04	18.14	14.73	6.3	7.73	10.2	6.24	7.64	9.62	9.96%	11.46%	9.41%	9.11%	9.11%	6.68%
Bayawan City	17.44	16.93	6.25	10.29	10.91	10.62	10.54	8.95	6.98	6.80%	6.58%	6.39%	6.07%	5.46%	4.93%
Bogo City								2.97	1.66	3.66%	4.54%	2.39%	0.38%	0.40%	0.10%
Carcar City								11.88	4.68	5.75%	5.72%	5.59%	6.66%	2.81%	2.21%
Canlaon City	22.18	13.18	11.8	11.72	10.26	11.34	8.52	8.08	6.73	5.26%	4.72%	3.73%	3.04%	8.17%	2.26%
Cebu City	11.22	9.1	7.89	7.35	6.36	5.68	4.37	4.43	4.35	3.71%	3.64%	3.30%	5.10%	ND	4.55%
Danao City	12.97	3.92	3.45	2.87	1.88	1.71	3.84	3.32	2.24	5.77%	5.83%	4.49%	4.25%	3.81%	2.87%
Dumaguete City	12.44	6.98	7.89	6.42	4.94	4.39	4.40	4.13	3.05	2.89%	2.78%	2.27%	2.05%	2.09%	2.03%
Guihulngan City								12.41	9.32	10.24%	11.43%	10.29%	14.21%	12.56%	10.45%
Lapu-lapu City	6.03	4.6	3.61	1.81	1.62	1.45	1.35	1.26	1.18	1.28%	1.34%	1.13%	0.88%	0.86%	1.56%
Mandaue City	7.03	4.48	3.15	2.87	3.32	2.88	2.70	2.67	2.88	2.68%	2.54%	2.15%	1.94%	1.79%	1.42%
Naga City								7.6	10.95	7.20%	6.81%	3.79%	2.66%	3.29%	2.58%
Tagbilaran City	11.65	8.31	6.61	5.73	5	4.56	5.19	4.05	3.32	3.93%	3.72%	2.79%	2.44%	2.25%	1.97%
Talisay City	13.85	11.49	12.19	16.35	7.07	2.99	2.00	2.39	2.49	2.17%	3.22%	2.23%	2.21%	1.82%	3.74%
Tanjay City	13.36	11.84	7.33	6.46	6.5	6.42	4.04	3.49	5.82	4.73%	4.77%	4.39%	3.53%	3.38%	2.97%
Toledo City	6.45	5.71	3.58	3.55	3.42	2.29	2.09	1.77	1.66	1.91%	2.15%	2.38%	1.61%	1.53%	3.88%

Data source : DOH 7 OPT

* Data incomplete

Prepared by:


NASUDL G. SOLUTA
Nutrition Officer II- NNC 7


Approved by: PAROLITA A. MISSION, DPA. RN.
Regional Nutrition Program Coordinator

National Nutrition Council Region VII
Underweight Prevalence Ranking (0-71 mos)
January-March 2019

Rank	LGU	% Prevalence
1	Tayasan	11.85%
2	Vallehermoso	11.25%
3	Alcantara	11.05%
4	Cordova	10.88%
5	Ronda	10.52%
6	Asturias	10.22%
7	Badian	9.95%
8	Samboan	9.92%
9	Manjuyod	9.88%
10	Santander	8.87%
11	Tabogon	8.83%
12	Boljoon	8.70%
13	San Jose	8.69%
14	Catmon	8.68%
15	Consolacion	8.61%
16	Dalaguete	8.45%
17	Ginatilan	8.36%
18	UBAY	8.36%
19	Mabinay	8.31%
20	Malabuyoc	8.04%
21	Basay	8.03%
22	Sta. Catalina	8.01%
23	Pilar	7.68%
24	Dumanjug	7.61%
25	Sibonga	7.61%
26	Tuburan	7.55%
27	Santa Fe	7.52%
28	Madridejos	7.51%
29	Carmen	7.28%
30	SIERRA BULLONES	7.22%
31	LOAY	7.19%
32	DANAOS	7.11%
33	Medellin	6.91%
34	Bindoy	6.85%
35	GETAFE	6.79%
36	Oslob	6.75%
37	BATUAN	6.70%
38	San Remigio	6.12%
39	PILAR	5.94%
40	Alcoy	5.90%
41	Daanbantayan	5.87%
42	Balamban	5.71%
43	BUENAVISTA	5.70%
44	Jimalalud	5.60%
45	Ayungon	5.58%
46	ANDA	5.58%
47	Bacong	5.50%
48	Amlan	5.46%

National Nutrition Council Region VII
Underweight Prevalence Ranking (0-71 mos)
January-March 2019

49	BIEN UNIDO	5.43%
50	VALENCIA	5.20%
51	Bantayan	4.98%
52	PRES. CARLOS P. GARCIA (PITOGO)	4.95%
53	Argao	4.89%
54	BALILIHAN	4.86%
55	Zamboanguita	4.77%
56	Barili	4.68%
57	Maria	4.66%
58	CORTES	4.51%
59	Valencia	4.45%
60	Aloguinsan	4.39%
61	PANGLAO	4.38%
62	SAGBAYAN (BORJA)	4.36%
63	ALICIA	4.31%
64	Poro	4.30%
65	Lilo-an	4.22%
66	Siaton	4.15%
67	Lazi	4.11%
68	La Libertad	3.94%
69	BACLAYON	3.92%
70	DIMIAO	3.87%
71	Tabuelan	3.86%
72	Alegria	3.81%
73	Compostela	3.62%
74	Pinamungajan	3.61%
75	LOBOC	3.47%
76	CANDIJAY	3.44%
77	DAGOHOY	3.12%
78	Tudela	3.01%
79	San Juan	3.01%
80	San Francisco	2.99%
81	Siquijor	2.89%
82	SAN ISIDRO	2.86%
83	LOON	2.71%
84	SAN MIGUEL	2.59%
85	TUBIGON	2.57%
86	Sogod	2.51%
87	GARCIA HERNANDEZ	2.49%
88	Sibulan	2.41%
89	ANTEQUERA	2.36%
90	SEVILLA	2.20%
91	Moalboal	2.16%
92	MARIBOJOC	2.10%
93	Enrique Villanueva	2.03%
94	Minglanilla	1.96%
95	CALAPE	1.88%
96	San Fernando	1.84%

National Nutrition Council Region VII
Underweight Prevalence Ranking (0-71 mos)
January-March 2019

97	Borbon	1.83%
98	Dauin	1.83%
99	CATIGBIAN	1.79%
100	DAUIS	1.60%
101	CORELLA	1.58%
102	MABINI	1.58%
103	DUERO	1.55%
104	BILAR	1.23%
105	GUINDULMAN	1.18%
106	CLARIN	1.15%
107	Larena	0.94%
108	ALBURQUERQUE	0.92%
109	TRINIDAD	0.73%
110	CARMEN	0.70%
111	Pamplona	0.54%
112	JAGNA	0.47%
113	SIKATUNA	0.43%
114	INABANGA	0.31%
115	TALIBON	0.29%
116	LILA	0.13%

Legend:

Orange Font	Negros Oriental
Green Font	Bohol
Blue Font	Cebu
Purple Font	Siquijor
	Data incomplete

National Nutrition Council Region VII
Stunting Prevalence Ranking (0-71 mos)
January-March 2019

Rank	LGU	% Prevalence
1	Alcantara	32.91%
2	Alcoy	31.60%
3	Ginatilan	30.23%
4	PRES. CARLOS P. GARCIA (PITOGO)	30.13%
5	Sibonga	29.82%
6	Badian	29.47%
7	Madridejos	27.80%
8	Medellin	27.66%
9	Ronda	27.54%
10	Malabuyoc	27.45%
11	Tayasan	27.41%
12	Asturias	27.06%
13	Tabogon	25.75%
14	SIERRA BULLONES	24.87%
15	Mabinay	24.61%
16	Samboan	24.55%
17	Dalaguete	24.51%
18	UBAY	24.39%
19	Catmon	24.30%
20	Cordova	24.17%
21	Dumanjug	24.09%
22	San Jose	23.77%
23	Sta. Catalina	23.65%
24	Vallehermoso	23.62%
25	Santander	22.78%
26	Moalboal	21.62%
27	Consolacion	20.72%
28	Carmen	20.48%
29	Tuburan	20.33%
30	Pilar	19.69%
31	Amlan	19.43%
32	San Remegio	19.33%
33	Balamban	19.23%
34	Boljoon	19.20%
35	Basay	18.31%
36	PILAR	18.10%
37	Jimalalud	18.08%
38	BATUAN	18.02%
39	BUENAVISTA	17.97%
40	Bantayan	17.62%
41	Bindoy	16.92%
42	DANAOG	16.66%
43	GETAFE	16.52%
44	Argao	16.07%
45	Oslob	15.99%
46	Tudela	15.89%
47	Santa Fe	15.72%

National Nutrition Council Region VII
Stunting Prevalence Ranking (0-71 mos)
January-March 2019

48	Manjuyod	15.61%
49	LOAY	15.30%
50	Lazi	14.63%
51	SAN MIGUEL	14.45%
52	Ayungon	14.26%
53	SAGBAYAN (BORJA)	13.83%
54	Valencia	13.63%
55	Barili	13.33%
56	ANDA	13.32%
57	Pinamungajan	13.25%
58	Compostela	12.82%
59	Bacong	12.70%
60	CORTES	12.44%
61	LOON	12.39%
62	Lilo-an	12.12%
63	ALBURQUERQUE	12.01%
64	PANGLAO	11.85%
65	Siaton	11.45%
66	CARMEN	11.33%
67	Zamboanguita	11.15%
68	CLARIN	11.07%
69	ANTEQUERA	11.03%
70	ALICIA	10.78%
71	San Juan	10.78%
72	BIEN UNIDO	10.73%
73	Poro	10.50%
74	Daanbantayan	10.28%
75	La Libertad	10.22%
76	Siquijor	10.15%
77	SEVILLA	9.81%
78	BALILIHAN	9.72%
79	Sibulan	9.38%
80	TUBIGON	9.11%
81	Alegria	9.00%
82	DIMIAO	8.80%
83	CALAPE	8.61%
84	BACLAYON	8.58%
85	DAGOHOY	8.41%
86	BILAR	8.22%
87	Maria	7.46%
88	JAGNA	7.41%
89	GUINDULMAN	7.11%
90	CANDIJAY	7.03%
91	Minglanilla	7.02%
92	VALENCIA	6.97%
93	Tabuelan	6.96%
94	LOBOC	6.94%
95	Larena	6.89%
96	Borbon	6.88%

National Nutrition Council Region VII
Stunting Prevalence Ranking (0-71 mos)
January-March 2019

97	Dauin	6.40%
98	LILA	6.39%
99	DAUIS	5.94%
100	San Fernando	5.41%
101	SIKATUNA	5.14%
102	Aloguinsan	4.45%
103	TRINIDAD	4.45%
104	MARIBOJOC	4.02%
105	CATIGBIAN	3.90%
106	GARCIA HERNANDEZ	3.85%
107	Sogod	3.81%
108	CORELLA	3.81%
109	Enrique Villanueva	3.51%
110	MABINI	3.40%
111	SAN ISIDRO	2.73%
112	DUERO	2.29%
113	TALIBON	2.03%
114	San Francisco	1.72%
115	Pamplona	1.05%
116	INABANGA	0.61%

Legend:

Orange Font	Negros Oriental
Green Font	Bohol
Blue Font	Cebu
Purple Font	Siquijor
	Data incomplete

National Nutrition Council Region VII
Wasting Prevalence Ranking (0-71 mos)
January-March 2019

Rank	LGU	% Prevalence
1	Tayasan	8.66%
2	Zamboanguita	7.71%
3	San Jose	7.36%
4	LOAY	7.22%
5	Tabogon	6.66%
6	Bindoy	6.61%
7	Boljoon	6.40%
8	Mabinay	6.38%
9	Sta. Catalina	6.29%
10	Basay	6.27%
11	Vallehermoso	6.09%
12	La Libertad	6.00%
13	Consolacion	5.98%
14	Samboan	5.93%
15	UBAY	5.84%
16	Ayungon	5.72%
17	Asturias	5.41%
18	Manjuyod	5.29%
19	ANDA	5.22%
20	Madridejos	4.96%
21	Cordova	4.96%
22	Badian	4.86%
23	PILAR	4.76%
24	Amlan	4.74%
25	BATUAN	4.65%
26	Ronda	4.60%
27	Bacong	4.58%
28	Pilar	4.56%
29	Jimalalud	4.56%
30	San Remegio	4.46%
31	Oslob	4.19%
32	Alcantara	4.14%
33	Argao	3.80%
34	Sibulan	3.78%
35	Santa Fe	3.78%
36	Catmon	3.77%
37	Medellin	3.72%
38	Malabuyoc	3.71%
39	PANGLAO	3.59%
40	GETAFE	3.56%
41	Tuburan	3.52%
42	Santander	3.42%
43	Dalaguete	3.32%
44	SIERRA BULLONES	3.30%
45	Tabuelan	3.26%
46	BACLAYON	3.17%
47	Valencia	3.15%
48	Carmen	3.13%

National Nutrition Council Region VII
Wasting Prevalence Ranking (0-71 mos)
January-March 2019

49	Bantayan	3.00%
50	Daanbantayan	2.96%
51	Poro	2.92%
52	Lilo-an	2.77%
53	Siquijor	2.73%
54	Barili	2.61%
55	Siaton	2.59%
56	Alegria	2.59%
57	Balamban	2.57%
58	Minglanilla	2.54%
59	Sibonga	2.49%
60	Ginatilan	2.43%
61	PRES. CARLOS P. GARCIA (PITOGO)	2.27%
62	LOBOC	2.19%
63	San Fernando	2.19%
64	DIMIPIO	2.06%
65	DANAOG	1.98%
66	BIEN UNIDO	1.96%
67	Pinamungajan	1.96%
68	San Francisco	1.87%
69	VALENCIA	1.85%
70	Larena	1.80%
71	ALICIA	1.77%
72	SAN MIGUEL	1.71%
73	GARCIA HERNANDEZ	1.69%
74	CANDIJAY	1.69%
75	DAGOHOY	1.67%
76	DAUIS	1.64%
77	CARMEN	1.61%
78	Moalboal	1.60%
79	Dauin	1.57%
80	BALILIHAN	1.50%
81	ANTEQUERA	1.43%
82	Borbon	1.42%
83	Dumanjug	1.39%
84	CORTES	1.38%
85	BUENAVISTA	1.38%
86	SIKATUNA	1.29%
87	JAGNA	1.24%
88	Maria	1.19%
89	San Juan	1.18%
90	MARIBOJOC	1.12%
91	TRINIDAD	1.11%
92	BILAR	0.97%
93	SAGBAYAN (BORJA)	0.95%
94	Aloguinsan	0.91%
95	Lazi	0.89%
96	ALBURQUERQUE	0.83%

National Nutrition Council Region VII
Wasting Prevalence Ranking (0-71 mos)
January-March 2019

97	Sogod	0.77%
98	Enrique Villanueva	0.74%
99	GUINDULMAN	0.74%
100	LOON	0.69%
101	Alcoy	0.61%
102	DUERO	0.59%
103	Compostela	0.56%
104	TUBIGON	0.52%
105	CATIGBIAN	0.48%
106	MABINI	0.48%
107	Pamplona	0.43%
108	TALIBON	0.37%
109	CORELLA	0.32%
110	Tudela	0.28%
111	SAN ISIDRO	0.26%
112	CALAPE	0.14%
113	INABANGA	0.10%
114	SEVILLA	0.05%
115	CLARIN	0.00%
116	LILA	0.00%

Legend:

Orange Font	Negros Oriental
Green Font	Bohol
Blue Font	Cebu
Purple Font	Siquijor
	Data incomplete

National Nutrition Council Region VII
Overweight Obesity Prevalence Ranking (0-71 mos)
January-March 2019

Rank	LGU	% Prevalence
1	Alcoy	16.04%
2	Moalboal	13.47%
3	Manjuyod	11.12%
4	Medellin	9.44%
5	Asturias	8.90%
6	Tayasan	8.18%
7	Ginatilan	7.74%
8	Madridejos	7.52%
9	ALBURQUERQUE	7.33%
10	Consolacion	7.19%
11	Compostela	7.02%
12	Amlan	6.29%
13	Tabogon	6.28%
14	Samboan	6.24%
15	Santander	6.21%
16	SIERRA BULLONES	6.04%
17	GUINDULMAN	5.91%
18	Sibonga	5.91%
19	Badian	5.68%
20	San Jose	5.67%
21	Ronda	5.53%
22	UBAY	5.41%
23	PANGLAO	5.41%
24	Zamboanguita	5.38%
25	Larena	5.28%
26	Sta. Catalina	5.08%
27	LILA	5.08%
28	Cordova	5.07%
29	Catmon	4.98%
30	Dumanjug	4.95%
31	Bantayan	4.91%
32	Basay	4.90%
33	Boljoon	4.88%
34	Pilar	4.78%
35	Argao	4.77%
36	Bindoy	4.63%
37	BACLAYON	4.62%
38	San Remegio	4.61%
39	Bacong	4.58%
40	PRES. CARLOS P. GARCIA (PITOGO)	4.49%
41	San Juan	4.42%
42	Valencia	4.39%
43	Tudela	4.30%
44	Oslob	4.28%
45	Ayungon	4.20%
46	Alcantara	4.14%
47	Sibulan	4.13%

National Nutrition Council Region VII
Overweight Obesity Prevalence Ranking (0-71 mos)
January-March 2019

48	Siquijor	4.12%
49	La Libertad	4.04%
50	Lilo-an	4.02%
51	Mabinay	4.01%
52	Balamban	3.92%
53	LOAY	3.90%
54	Pinamungajan	3.89%
55	Dalaguete	3.45%
56	Vallehermoso	3.44%
57	CORTES	3.36%
58	MARIBOJOC	3.30%
59	Dauin	3.30%
60	Carmen	3.21%
61	Santa Fe	3.06%
62	SAGBAYAN (BORJA)	3.06%
63	ANDA	3.03%
64	Maria	2.85%
65	PILAR	2.80%
66	San Fernando	2.73%
67	BATUAN	2.72%
68	Daanbantayan	2.65%
69	Malabuyoc	2.62%
70	Siaton	2.61%
71	Minglanilla	2.59%
72	Jimalalud	2.54%
73	Lazi	2.49%
74	Tuburan	2.48%
75	DAUIS	2.39%
76	SAN MIGUEL	2.30%
77	BALILIHAN	2.28%
78	DIMIAO	2.25%
79	LOON	2.19%
80	Alegria	2.18%
81	SIKATUNA	2.16%
82	Borbon	2.14%
83	DANAO	1.98%
84	CANDIJAY	1.93%
85	LOBOC	1.92%
86	CORELLA	1.92%
87	JAGNA	1.90%
88	Poro	1.81%
89	GETAFE	1.80%
90	ANTEQUERA	1.71%
91	GARCIA HERNANDEZ	1.69%
92	DAGOHOY	1.67%
93	Aloguinsan	1.60%
94	TUBIGON	1.57%
95	CALAPE	1.48%
96	ALICIA	1.39%

National Nutrition Council Region VII
Overweight Obesity Prevalence Ranking (0-71 mos)
January-March 2019

97	SEVILLA	1.34%
98	Tabuelan	1.27%
99	BIEN UNIDO	1.25%
100	BUENAVISTA	1.23%
101	Barili	1.22%
102	Enrique Villanueva	1.12%
103	BILAR	1.10%
104	TRINIDAD	1.02%
105	VALENCIA	0.85%
106	MABINI	0.55%
107	Sogod	0.53%
108	CATIGBIAN	0.40%
109	TALIBON	0.35%
110	San Francisco	0.33%
111	CARMEN	0.30%
112	CLARIN	0.29%
113	Pamplona	0.28%
114	DUERO	0.22%
115	INABANGA	0.08%
116	SAN ISIDRO	0.00%

Legend:

Orange Font	Negros Oriental
Green Font	Bohol
Blue Font	Cebu
Purple Font	Siquijor
	Data incomplete